

ILS Laboratories

8222 Vickers St, Suite 106, San Diego, CA 92111
(619) 329-3999 | ils-lab.com

GLOW 50/10/10 - 70mg

Tested for: S20 Research, LLC
www.20aminos.com

COA #: COA-2026-953630
Lot Number: B10110
Accession #: ACC-2026-2345
Labeled Content: 70mg

Analysis Date: 05/28/2026
Appearance: Good
Sample Matrix: Liquid/Solution
Vial Size: 30mL
Date Received: 05/12/2026

PASS



Scan to verify
authenticity at ils-lab.com
Access Code: YTR4DY29

Method: Blend Purity & Quant (HPLC), Sterility (PCR), Endotoxin (USP <85>), Heavy Metals (ICP-MS)

Identity

GLOW 50/10/10

Peptide Purity

96.46%



Fentanyl
Free

Blend Purity & Quant (HPLC)

Analyte	Specification	Result	Unit	Status
Peptide Purity (HPLC)	>= 95.0%	96.46%	%	PASS
Net Blend Peptide Content	Report Only	N/A	mg	N/A
Identity (HPLC-RTM)	GHK-CU + BPC-157 + TB-4	Confirmed	-	PASS
Fentanyl Screen	Immunoassay, 50 ng/mL cutoff	Not Detected	-	PASS

HPLC Chromatogram



Representative chromatogram, Dedicated V0

HPLC Conformity Testing Results (2 samples tested)

Sample	Purity	NPC	ID	Result
Dedicated V0	96.45%	N/A mg	Confirmed	PASS
Conformity V1	96.46%	N/A mg	Confirmed	PASS
Mean	96.45%	—	—	—
Std Dev	0.0050%	—	—	—



Dr. Greg Kalyuzhny

Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: COA-2026-953630
Access Code: YTR4DY29
Verify: portal.ils-lab.com/verify/ZJ03nThS9Yt6cxJw
Issued: 7/9/2026

Heavy Metals Analysis (ICP-MS)

Test	Specification	Result	Status
Arsenic (As)	NMT 1.5 ppm	Not Detected	PASS
Cadmium (Cd)	NMT 0.5 ppm	Not Detected	PASS
Chromium (Cr)	NMT 10 ppm	Not Detected	PASS
Mercury (Hg)	NMT 1.5 ppm	Not Detected	PASS
Lead (Pb)	NMT 1 ppm	Not Detected	PASS

Sterility Testing (PCR)

Test	Specification	Result	Status
Sterility (PCR)	No Growth	No Growth	PASS

Endotoxin Testing (USP <85>)

Test	Specification	Result	Status
Endotoxin (USP <85>)	Report Result	2.554 EU/mL	Reported

About this result: Endotoxin is reported as a quantitative value. Acceptable limits vary by product type and matrix, so no universal pass/fail threshold applies to RUO products. This result is below commonly referenced endotoxin thresholds.

Notes & Methodology

1. Date Tested: 07/09/2026. Methods: Blend Purity & Quant (HPLC).
2. The sample was confirmed to be GLOW 50/10/10 by HPLC. Identification by chromatographic retention time comparison with a reference standard.
3. Elemental impurities analyzed by ICP-MS per USP <233> methodology. Acceptance criteria are internal laboratory quality screening limits for research-use materials and do not represent evaluation against any specific pharmacopeial monograph or product specification.
4. Endotoxin tested per USP <85> kinetic turbidimetric method. Acceptance criteria per client specification.
5. Peptide purity determined by RP-HPLC area normalization at 214 nm. Value represents the percentage of the target peptide relative to all peptide-related peaks. Non-peptide process-related impurities, if detected, are excluded from the calculation.
6. Per-component content calculated from total net peptide content using the manufacturer's stated formulation ratio (GHK-Cu, BPC-157, TB-4). All components confirmed present by HPLC identity testing, unless explicitly stated otherwise.
7. Chromatogram shown is representative: Dedicated V0 (96.45% purity, closest to batch mean of 96.45%).




Dr. Greg Kalyuzhny
Lab Director
7/9/2026

COA #: **COA-2026-953630**
Access Code: **YTR4DY29**
Verify: <portal.ils-lab.com/verify/ZJ03nThS9Yt6cxJw>
Issued: 7/9/2026